

Fujitsu Scanners - ScanSnap Scanners & Network Scanners



		iX100	S1100i	S1300i	S1300i Deluxe	iX500	iX500 Deluxe	SV600	N7100	
List Price		\$229.00	\$199.00	\$295.00	\$349.00	\$495.00	\$595.00	\$795.00	\$1,895.00	
Part Number		PA03688-B005	PA03610-B105	PA03643-B005	PA03643-B015	PA03656-B005	PA03656-B015	PA03641-B005	PA03706-B205	
Image Sensor - Optics		CIS X 1	CIS X 1	CIS X 2	CIS X 2	CIS x 2	CIS x 2	CCD x 1	CIS x 2	
Scanning Speed	Monochrome	200 dpi	5.2 seconds per page	7.5 seconds per page	A/C: 12 ppm / 24 ipm	A/C: 12 ppm / 24 ipm	25 ppm / 50 ipm	25 ppm / 50 ipm	3 seconds per page	25 ppm / 50 ipm
		300 dpi	5.2 seconds per page	7.5 seconds per page	A/C: 12 ppm / 24 ipm	A/C: 12 ppm / 24 ipm	25 ppm / 50 ipm	25 ppm / 50 ipm	3 seconds per page	25 ppm / 50 ipm
	Color	150 dpi	5.2 seconds per page	7.5 seconds per page	A/C: 12 ppm / 24 ipm	A/C: 12 ppm / 24 ipm	25 ppm / 50 ipm	25 ppm / 50 ipm	3 seconds per page	25 ppm / 50 ipm
		200 dpi	5.2 seconds per page	7.5 seconds per page	A/C: 9 ppm / 18 ipm	A/C: 9 ppm / 18 ipm	25 ppm / 50 ipm	25 ppm / 50 ipm	3 seconds per page	25 ppm / 50 ipm
		300 dpi	5.2 seconds per page	7.5 seconds per page	A/C: 6 ppm / 12 ipm	A/C: 6 ppm / 12 ipm	25 ppm / 50 ipm	25 ppm / 50 ipm	3 seconds per page	25 ppm / 50 ipm
Resolution	Optical	600 dpi	600 dpi	600 dpi	600 dpi	600 dpi	600 dpi	Horizontal scanning: 285 to 218 dpi, Vertical scanning: 283 to 152 dpi	600 dpi	
	Output	up to 1200 dpi	up to 1200 dpi	up to 1200 dpi	up to 1200 dpi	up to 1200 dpi	up to 1200 dpi	up to 1200 dpi	up to 600 dpi	
Grayscale		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Simplex/Deluxe		Simplex	Simplex	Duplex	Duplex	Duplex	Duplex	Simplex	Duplex	
ADF Capacity		1 Sheet	1 Sheet	10 sheets	10 sheets	50 Sheets	50 Sheets	N/A	50 Sheets	
Document Size	Maximum	8.5 x 14.17 in.	8.5 x 14.17 in.	8.5 x 14.17 in.	8.5 x 14.17 in.	8.5 X 14.17 in	8.5 X 14.17 in	17.0 x 11.8 in	8.5 X 14.17 in	
	Minimum	1 x 1 in.	1 x 1 in.	2 x 2 in.	2 x 2 in.	2 X 2 in.	2 X 2 in.	1 x 1 in	2 X 2 in.	
	Long Document	Yes (34")	Yes (34")	Yes (34")	Yes (34")	Yes (34")	Yes (34")	N/A	Yes (120")	
Embossed Card	Support	Yes (.76 mm)	Yes (.76 mm)	N/A	N/A	Yes	Yes	Yes	Yes	
	Orientation	Portrait & Landscape	Portrait & Landscape	N/A	N/A	Landscape	Landscape	Portrait & Landscape	Landscape	
	Continuous	N/A	N/A	N/A	N/A	Yes	Yes	Yes	Yes	
Paper Weight (Thickness)		14 - 56 lb. (Straight Path)	14 - 56 lb. (Straight Path)	17 to 28 lb.	17 to 28 lb.	11 to 56 lb.	11 to 56 lb.	30 mm (1.18 in) or less	11 to 56 lb.	
Flatbed (Dim.)		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Paper Protection		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Multi-feed Detection		N/A	N/A	N/A	N/A	Ultra-Sonic and Length	Ultra-Sonic and Length	N/A	Ultra-Sonic and Length	
Multi-feed - iMFF		N/A	N/A	N/A	N/A	N/A	N/A	N/A	Yes	
Color Dropout		N/A	N/A	N/A	N/A	N/A	N/A	N/A	Yes	
Interface		USB 2.0 / Wireless (Access Point Mode or Direct Connect Mode)	USB 2.0	USB 2.0	USB 2.0	USB 3.0 / Wireless	USB 3.0 / Wireless	USB 2.0	RJ45 Network - Ethernet	
Driver Support		ScanSnap Manager	ScanSnap Manager	ScanSnap Manager	ScanSnap Manager	ScanSnap Manager	ScanSnap Manager	ScanSnap Manager	N/A	
Image Enhancement		Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated & Book image correction	PaperStream IP	
Bundled Software		ScanSnap Suite*, Abbyy FineReader Express for ScanSnap, ScanSnap Receipt	ScanSnap Suite*, Abbyy FineReader Express for ScanSnap, ScanSnap Receipt	ScanSnap Suite*, Abbyy FineReader Express for ScanSnap	ScanSnap Suite*, Abbyy FineReader Express for ScanSnap, Rack2Filer (PC Only)	ScanSnap Suite*, Abbyy FineReader Express for ScanSnap, Adobe Acrobat 10 Std. (PC Only)	ScanSnap Suite*, Abbyy FineReader Express for ScanSnap, Adobe Acrobat 10 Std. (PC Only), Rack2-Filer Smart / Magic Desktop (PC Only)	ScanSnap Suite*, Abbyy FineReader Express for ScanSnap, Adobe Acrobat 11 Std. (PC Only), Rack2-Filer Smart / Magic Desktop (PC Only)	Scanner Central Admin & Admin Console	
Dimensions (W x D x H)		10.74 x 1.87 x 1.42 in.	10.74 in. x 1.87 in. x1.33 in.	11.18 in. x 3.90 in. x 3.03 in.	11.18 in. x 3.90 in. x 3.03 in.	11.5 in. x 6.2 in x 6.6 in.	11.5 in. x 6.2 in x 6.6 in.	8.27 in. x 6.15 in. x 15.1 in.	11.8 in. x 12.2 in. x 9.7 in.	
Weight (lb.)		0.88 lbs. (14.1 oz.)	0.77 lbs.	3.08 lb.	3.08 lb.	6.62 lb.	6.62 lb.	6.613 lb.	13.2 lb.	
Imprinter Option		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Standard Warranty		1 Year Depot Service	1 Year Depot Service	1 Year Depot Service	1 Year Depot Service	1 Year Depot Service	1 Year Depot Service	1 Year Depot Service	1 Year Depot Service	

1. Scanning limitations brought about by scanning mode, document size and available memory may occur when scanning at high resolutions (600dpi or higher).

Fujitsu Scanners - Departmental Scanners



			fi-65f	fi-6110	fi-7160	fi-7260	fi-7180	fi-7280	fi-5530C2
List Price			\$395.00	\$895.00	\$1,195.00	\$1,995.00	\$1,995.00	\$2,495.00	\$3,995.00
Part Number			PA03595-B005	PA03607-B065	PA03670-B055	PA03670-B555	PA03670-B005	PA03670-B505	PA03334-B665
Image Sensor - Optics			CIS X 1	CCD X 2	CCD X 2	CCD X 3	CCD X 2	CCD X 3	CCD X 2
Scanning Speed	Monochrome	200 dpi	AC: 1.0 seconds	20 ppm / 40 ipm	60 ppm / 120 ipm	60 ppm / 120 ipm	80 ppm / 160 ipm	80 ppm / 160 ipm	50 ppm / 100 ipm (Landscape)
		300 dpi	AC: 1.0 seconds	20 ppm / 40 ipm	60 ppm / 120 ipm	60 ppm / 120 ipm	80 ppm / 160 ipm	80 ppm / 160 ipm	N/A
	Color	150 dpi	N/A	20 ppm / 40 ipm	60 ppm / 120 ipm	60 ppm / 120 ipm	80 ppm / 160 ipm	80 ppm / 160 ipm	N/A
		200 dpi	AC: 1.7 seconds	20 ppm / 40 ipm	60 ppm / 120 ipm	60 ppm / 120 ipm	80 ppm / 160 ipm	80 ppm / 160 ipm	50 ppm / 100 ipm (Landscape)
		300 dpi	AC: 1.7 seconds	20 ppm / 40 ipm	60 ppm / 120 ipm	60 ppm / 120 ipm	80 ppm / 160 ipm	80 ppm / 160 ipm	N/A
Resolution	Optical		600 dpi	600 dpi	600 dpi	600 dpi	600 dpi	600 dpi	600 dpi
	Output		up to 1200 dpi	up to 1200 dpi	up to 1200 dpi	up to 1200 dpi	up to 1200 dpi	up to 1200 dpi	up to 1200 dpi
Grayscale			8 bit / 256 level	8 bit / 256 level	8 bit / 256 level	8 bit / 256 level	8 bit / 256 level	8 bit / 256 level	8 bit / 256 level
Simplex/Deluxe			Simplex	Duplex	Duplex	Duplex	Duplex	Duplex	Duplex
ADF Capacity			N/A - Flatbed Only	50 sheets	80 Sheets	80 Sheets	80 Sheets	80 Sheets	100 Sheets
Document Size	Maximum		5.83 in. x 4.13 in	8.5 x 14.17 in.	8.5 x 14 in.	8.5 x 14 in.	8.5 x 14 in.	8.5 x 14 in.	11.7 x 17 in.
	Minimum		N/A	2.1 in. x 2.9 in.	2 x 2.13 in.	2 x 2.13 in.	2 x 2.13 in.	2 x 2.13 in.	2.1 in. x 2.9 in.
	Long Document		N/A	Yes (120")	Yes (220")	Yes (220")	Yes (220")	Yes (220")	Yes (34")
Embossed Card	Support		Yes	N/A	Yes (1.4 mm)	Yes (1.4 mm)	Yes (1.4 mm)	Yes (1.4 mm)	N/A
	Orientation		Portrait & Landscape	N/A	Portrait & Landscape	Portrait & Landscape	Portrait & Landscape	Portrait & Landscape	N/A
	Continuous		N/A	N/A	Yes - up to 3 hard cards	Yes - up to 3 hard cards	Yes - up to 3 hard cards	Yes - up to 3 hard cards	N/A
Paper Weight (Thickness)			N/A	14 - 34 lb.	7.2 to 110 lb.	7.2 to 110 lb.	7.2 to 110 lb.	7.2 to 110 lb.	14 to 34 lb.
Flatbed (Dim.)			5.83 in. x 4.13 in	N/A	N/A	Yes (8.5 x 11.69 in.)	N/A	Yes (8.5 x 11.69 in.)	N/A
Paper Protection			N/A	N/A	Yes (2x)	Yes (2x)	Yes (2x)	Yes (2x)	N/A
Multi-feed Detection			N/A	Ultra-Sonic and Length	Ultra-Sonic and Length	Ultra-Sonic and Length	Ultra-Sonic and Length	Ultra-Sonic and Length	Ultra-Sonic and Length
Multi-feed - iMFF			N/A	N/A	Manual Bypass	Manual Bypass	Manual Bypass	Manual Bypass	N/A
Color Dropout			N/A	Red, Green, Blue	Red, Green, Blue	Red, Green, Blue	Red, Green, Blue	Red, Green, Blue	Red, Green, Blue
Interface			USB 2.0	USB 2.0	USB 3.0 / USB 2.0	USB 3.0 / USB 2.0	USB 2.0	USB 3.0 / USB 2.0	USB 2.0
Driver Support			PaperStream IP (TWAIN/ISIS)	PaperStream IP (TWAIN/ISIS)	Twain / ISIS® / PaperStream IP / ScanSnap Mode	Twain / ISIS® / PaperStream IP / ScanSnap Mode	Twain / ISIS® / PaperStream IP / ScanSnap Mode	Twain / ISIS® / PaperStream IP / ScanSnap Mode	PaperStream IP (TWAIN/ISIS)
Image Enhancement			PaperStream IP	N/A	PaperStream IP	PaperStream IP	PaperStream IP	PaperStream IP	PaperStream IP
Bundled Software			PaperStream IP (TWAIN/ISIS) Driver, PaperStream Capture software, Scanner Central Admin (Download)	PaperStream IP (TWAIN/ISIS) Driver, Software Operation Panel, Error Recovery Guide, PaperStream Capture, ScanSnap Manager for fi Series, Scan to Microsoft SharePoint, ABBYY FineReader for ScanSnap, Scanner Central Admin Agent	PaperStream IP (TWAIN/ISIS) Driver, Software Operation Panel, Error Recovery Guide, PaperStream Capture, ScanSnap Manager for fi Series, Scan to Microsoft SharePoint, ABBYY FineReader for ScanSnap, Scanner Central Admin Agent	PaperStream IP (TWAIN/ISIS) Driver, Software Operation Panel, Error Recovery Guide, PaperStream Capture, ScanSnap Manager for fi Series, Scan to Microsoft SharePoint, ABBYY FineReader for ScanSnap, Scanner Central Admin Agent	PaperStream IP (TWAIN/ISIS) Driver, Software Operation Panel, Error Recovery Guide, PaperStream Capture, ScanSnap Manager for fi Series, Scan to Microsoft SharePoint, ABBYY FineReader for ScanSnap, Scanner Central Admin Agent	PaperStream IP (TWAIN/ISIS) Driver, Software Operation Panel, Error Recovery Guide, PaperStream Capture, ScanSnap Manager for fi Series, Scan to Microsoft SharePoint, ABBYY FineReader for ScanSnap, Scanner Central Admin Agent	PaperStream IP (TWAIN/ISIS) Driver, Software Operation Panel, Error Recovery, PaperStream Capture, Scanner Central Admin Agent
Dimensions (W x D x H)			9.2 in. x 5.7 in. x 1.6in	11.5 in. x 5.6 in. x 5.1 in.	11.8 x 6.7 x 6.4 in.	11.8 x 22.7 x 9.2 in.	11.8 x 6.7 x 6.4 in.	11.8 x 22.7 x 9.2 in.	16.0 x 9.0 x 11.5 in.
Weight (lb.)			2 lbs.	6.61 lbs.	9.26 lb.	19.4 lb.	9.26 lb.	19.4 lb.	18.7 lb.
Imprinter Option			N/A	N/A	Yes - PostScan	N/A	Yes - PostScan	N/A	N/A
Standard Warranty			1 Year Depot	1 Year Depot	1-Year Advanced Exchange	1-Year Advanced Exchange	1-Year Advanced Exchange	1-Year Advanced Exchange	3 months on-site

Fujitsu Scanners - Production Scanners



fi-6670



fi-6770



fi-6400



fi-6800



fi-5950

		fi-6670	fi-6770	fi-6400	fi-6800	fi-5950	
List Price		\$5,995.00	\$7,995.00	\$12,995.00	\$19,995.00	\$24,995.00	
Part Number		PA03576-B665	PA03576-B165	PA03575-B405	PA03575-B065	PA03450-B565	
Image Sensor - Optics		CCD x 2	CCD x 3	CCD X 2	CCD X 2	CCD X 2	
Scanning Speed	Monochrome	200 dpi	90 ppm / 180 ipm (Landscape)	90 ppm / 180 ipm (Landscape)	100 ppm / 200 ipm (Landscape)	130 ppm / 260 ipm (Landscape)	135 ppm / 270 ipm (Landscape)
		300 dpi	80 ppm / 160 ipm (Landscape)	80 ppm / 160 ipm (Landscape)	100 ppm / 200 ipm (Landscape)	130 ppm / 260 ipm (Landscape)	135 ppm / 270 ipm (Landscape)
	Color	150 dpi	N/A	N/A	N/A	N/A	N/A
		200 dpi	90 ppm / 180 ipm (Landscape)	90 ppm / 180 ipm (Landscape)	100 ppm / 200 ipm (Landscape)	130 ppm / 260 ipm (Landscape)	135 ppm / 270 ipm (Landscape)
		300 dpi	60 ppm / 120 ipm (Landscape)	60 ppm / 120 ipm (Landscape)	100 ppm / 200 ipm (Landscape)	130 ppm / 260 ipm (Landscape)	135 ppm / 270 ipm (Landscape)
Resolution	Optical	600 dpi	600 dpi	600 dpi	600 dpi	600 dpi	
	Output	up to 1200 dpi	up to 1200 dpi	up to 1200 dpi	up to 1200 dpi	up to 1200 dpi	
Grayscale		8 bit / 256 level	8 bit / 256 level	8 bit / 256 level	8 bit / 256 level	8 bit / 256 level	
Simplex/Deluxe		Duplex	Duplex	Duplex	Duplex	Duplex	
ADF Capacity		200 Sheets	200 Sheets	500 Sheets	500 Sheets	500 Sheets	
Document Size	Maximum	11 in. x 17 in.	11 in. x 17 in.	12 in. x 17 in.	12 in. x 17 in.	12 in. x 17 in.	
	Minimum	2 in. x 3 in.	2 in. x 3 in.	2.1 in. x 2.9 in.	2.1 in. x 2.9 in.	2.1 in. x 2.9 in.)	
	Long Document	Yes (120")	Yes (120")	Yes (120")	Yes (120")	Yes (120")	
Embossed Card	Support	N/A	N/A	N/A	N/A	N/A	
	Orientation	N/A	N/A	N/A	N/A	N/A	
	Continuous	N/A	N/A	N/A	N/A	N/A	
Paper Weight (Thickness)		N/A	N/A	N/A	N/A	N/A	
Flatbed (Dim.)		N/A	Yes (12 x 18 in.)	N/A	N/A	N/A	
Paper Protection		Yes	Yes	Yes	Yes	Yes	
Multi-feed Detection		Ultra-Sonic	Ultra-Sonic	Triple Ultra-Sonic	Triple Ultra-Sonic	Triple Ultra-Sonic	
Multi-feed - iMFF		Yes (Automatic)	Yes (Automatic)	Yes (Automatic)	Yes (Automatic)	Yes (Automatic)	
Color Dropout		Software Color Dropout	Software Color Dropout	Red, Green, Blue	Red, Green, Blue	Red, Green, Blue	
Interface		Ultra SCSI (50M) / USB 2.0 / Third Party Slot	Ultra SCSI (50M) / USB 2.0 / Third Party Slot	USB2.0	USB 2.0 & Ultra Wide SCSI	USB 2.0 & Ultra Wide SCSI	
Driver Support		PaperStream IP (TWAIN/ISIS)	PaperStream IP (TWAIN/ISIS)	PaperStream IP (TWAIN/ISIS)	PaperStream IP (TWAIN/ISIS)	PaperStream IP (TWAIN/ISIS)	
Image Enhancement		PaperStream IP	PaperStream IP	PaperStream IP	PaperStream IP	PaperStream IP	
Bundled Software		PaperStream IP (TWAIN/ISIS) Driver, Software Operation Panel, Error Recovery, PaperStream Capture, Scanner Central Admin Agent	PaperStream IP (TWAIN/ISIS) Driver, Software Operation Panel, Error Recovery, PaperStream Capture, Scanner Central Admin Agent	PaperStream IP (TWAIN/ISIS) Driver, 2D Barcode for PaperStream, Software Operation Panel, Error Recovery Guide, PaperStream Capture, Scanner Central Admin Agent	PaperStream IP (TWAIN/ISIS) Driver, 2D Barcode for PaperStream, Software Operation Panel, Error Recovery Guide, PaperStream Capture, Scanner Central Admin Agent	PaperStream IP (TWAIN/ISIS) Driver, 2D Barcode for PaperStream, Software Operation Panel, Error Recovery Guide, PaperStream Capture, Scanner Central Admin Agent	
Dimensions (W x D x H)		25.23 in. x 17 in. x 11.8 in.	27.16 in. x 19.68 in. x 13.38 in.	16.9 in. x 12.2 in x 18.1 in.	16.9 in. x 12.2 in x 18.1 in.	21 in. x 21 in. x 20 in.	
Weight (lb.)		37.5 lb.	77.2 lb.	70.5 lbs.	70.5 lbs.	110.4 lbs.	
Imprinter Option		40 Character Max Post Scan, Back Side of document	N/A	Post Imprinter (Front-side) and Post Imprinter (Back-side)	Post Imprinter (Front-side) and Post Imprinter (Back-side)	Pre and Post Imprinter	
Standard Warranty		3 Month On-Site	3 Month On-Site	3 Month On-Site	3 Month On-Site	3 Month On-Site	